

WEST Search History

[Hide Items](#)[Restore](#)[Clear](#)[Cancel](#)

DATE: Thursday, June 24, 2004

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L9	L5 and (l1 or l2)	43
		<i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L8	L4	4
<input type="checkbox"/>	L7	L5	0
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L6	L4 and (stream\$ source or stream data)	22
<input type="checkbox"/>	L5	L4 and stream\$	154
<input type="checkbox"/>	L4	L3 and (bytecode or byte?code or Java?code or javacode)	349
<input type="checkbox"/>	L3	class loader or classloader or class?loader	695
		<i>DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L2	709/230-231.ccls.	2277
<input type="checkbox"/>	L1	717/106-109,146-167.ccls.	2574

END OF SEARCH HISTORY



Term used **Classloader**

Found 5 of 138,663

Sort results by

relevance

[Save results to a Binder](#)

Try an [Advanced Search](#)

Display results

expanded form

[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 1 - 5 of 5

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Software engineering and middleware: E-R modeler: a database modeling toolkit for Eclipse](#)

Song Zhou, Chuanxi Xu, Hui Wu, Jing Zhang, Yuehua Lin, Juanqin Wang, Jeff Gray, Barrett Bryant

April 2004 **Proceedings of the 42nd annual Southeast regional conference**

Full text available: pdf(448.28 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Eclipse is a Java integrated development environment (IDE) and tool integration platform that offers numerous extension points for customization through a plug-in architecture. This paper describes the design of an Eclipse plug-in called E-R Modeler. As a database design toolkit, the E-R Modeler provides an E-R (Entity-Relationship) diagram development environment that supports XML and DDL (Database Definition Language) generation tools. It also provides database connection and schema creation c ...

Keywords: E-R diagram, Plug-In, data modeling, design patterns, eclipse

2 [Quicksilver: a quasi-static compiler for Java](#)

Mauricio Serrano, Rajesh Bordawekar, Sam Midkiff, Manish Gupta

October 2000 **ACM SIGPLAN Notices , Proceedings of the 15th ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications**, Volume 35 Issue 10

Full text available: pdf(748.42 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper presents the design and implementation of the Quicksilver¹ quasi-static compiler for Java. Quasi-static compilation is a new approach that combines the benefits of static and dynamic compilation, while maintaining compliance with the Java standard, including support of its dynamic features. A quasi-static compiler relies on the generation and reuse of persistent code images to reduce the overhead of compilation during program execution, and to provide identical, testable an ...

3 [Mobile code: Anomaly intrusion detection in dynamic execution environments](#)

Hajime Inoue, Stephanie Forrest

September 2002 **Proceedings of the 2002 workshop on New security paradigms**

Full text available: pdf(867.25 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We describe an anomaly intrusion-detection system for platforms that incorporate dynamic compilation and profiling. We call this approach "dynamic sandboxing." By gathering

information about applications' behavior usually unavailable to other anomaly intrusion-detection systems, dynamic sandboxing is able to detect anomalies at the application layer. We show our implementation in a Java Virtual Machine is both effective and efficient at stopping a backdoor and a virus, and has a low false positi ...

Keywords: Java, anomaly detection, dynamic sandboxing

4 Security issues surrounding programming languages for mobile code: JAVA vs. Safe-Tcl

Stefanos Gritzalis, George Aggelis

April 1998 **ACM SIGOPS Operating Systems Review**, Volume 32 Issue 2

Full text available:  pdf(1.42 MB)


Additional Information: [full citation](#), [abstract](#), [references](#)

JAVA is claimed to be a system programming language having a number of advantages over traditional programming languages. These advantages stem from the fact that it is a platform - independent language, thus promising truly network oriented computing as long as a nearly universal system for distributing applications. On the other hand, although being an interpreted, much simpler, scripting language, Safe-Tcl was proposed as an executable contents type of MIME and thus as the standard language f ...

5 Compressing Java class files

William Pugh

May 1999 **ACM SIGPLAN Notices , Proceedings of the ACM SIGPLAN 1999 conference on Programming language design and implementation**, Volume 34 Issue 5

Full text available:  pdf(1.44 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Java class files are often distributed as jar files, which are collections of individually compressed class files (and possibly other files). Jar files are typically about 1/2 the size of the original class files due to compression. I have developed a wire-code format for collections of Java class files. This format is typically 1/2 to 1/5 of the size of the corresponding compressed jar file (1/4 to 1/10 the size of the original class files).

Results 1 - 5 of 5

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



US Patent & Trademark Office

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"Class loader"



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [Class loader](#)

Found 3 of 138,663

Sort results
by

relevance

Display
results

expanded form

[Save results to a Binder](#)

[Search Tips](#)

☐ Open results in a new
window

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Results 1 - 3 of 3

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Java driven codesign and prototyping of networked embedded systems](#)

Josef Fleischmann, Klaus Buchenrieder, Rainer Kress

June 1999 **Proceedings of the 36th ACM/IEEE conference on Design automation**

Full text available: [pdf\(69.24 KB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)



2 [An undergraduate track in computer security](#)

S. Azadegan, M. Lavine, M. O'Leary, A. Wijesinha, M. Zimand

June 2003 **ACM SIGCSE Bulletin , Proceedings of the 8th annual conference on Innovation and technology in computer science education**, Volume 35 Issue 3

Full text available: [pdf\(241.17 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)



To better prepare our graduates to face the challenges in computer and information security, in Fall 2002, Towson University launched an undergraduate track in computer security for the computer science majors. This paper describes the motivation behind this track and discusses its structure and requirements.

Keywords: application software security, computer security case studies, cryptography, network, operating systems security, security, undergraduate computer security education

3 [A scalable architecture for multi-threaded JAVA applications](#)

M. Mrva, K. Buchenrieder, R. Kress

February 1998 **Proceedings of the conference on Design, automation and test in Europe**

Full text available: [pdf\(117.76 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)



[Publisher Site](#)



The paper presents a scalable architecture for multi-threaded Java applications. Threads enable modeling of concurrent behavior in a more or less natural way. Thus threads give a migration path to multi-processor machines. The proposed architecture consists of multiple application-specific processing elements, each able to execute a single thread at one time. The architecture is evaluated by implementing a portable and scalable Java machine onto an FPGA board for demonstration.

Keywords: Java, application-specific, configurable, multi-threaded

Results 1 - 3 of 3

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

YAHOO!search

"Class loader" stream source

Yahoo! Search

Advance
Preferen

Web

Images









Directory










Yellow Pages

News

Products

TOP 20 WEB RESULTS out of about 20,200 Search took 0.175 seconds. (What's this?)

1. **Source:** [arts/core.h](#) 
Source: arts/core.h. Annotated List. Files. Globals. Hierarchy. Index /* ... messageType); Header(Arts::Buffer& st
 TraderQuery; **class Loader**; **class** InterfaceRepo_base : virtual ...
www.arts-project.org/doc/headers/arts___core_h.html - 61k - [Cached](#)
2. **Canvas** 
 ... **class loader** * (e.g., a URL) */ public abstract Object getSecurityContext(ClassLoader loader); } **Source** ... nam
 known ...
www.extreme.indiana.edu/~ajcbik/JAVAR/HTML/java.rmi.server_can.html - 86k - [Cached](#)
3. **Source Code** 
 ... **class loader** * (e.g., a URL) */ public abstract Object getSecurityContext(ClassLoader loader); } **Source** ... nam
 known ...
www.extreme.indiana.edu/~ajcbik/JAVAR/HTML/java.rmi.server_src.html - 71k - [Cached](#)
4. **ConfigurationFile (Jini(TM) Technology Starter Kit v2.0 API Documentation)** 
 ... configuration **source** and ... **stream** and options, using the specified **class loader** for interpreting class names.
java.sun.com/products/jini/2.0/doc/specs/api/net/jini/config/ConfigurationFile.html - 55k - [Cached](#) - [More pages fro](#)
5. **Uses of Class com.caucho.vfs.StreamImpl (Resin 3.0.7)** 
 ... A **stream** that varies depending on the environment **class loader**. ... Returns the underlying **source** for the str
www.caucho.com/resin-javadoc/resin/com/caucho/vfs/class-use/StreamImpl.html - 37k - [Cached](#) - [More pages fro](#)
6. **ConfigurationFile (Jini(TM) Technology Starter Kit v2.0_001 API Documentation)** 
 ... configuration **source** and ... **stream** and options, using the specified **class loader** for interpreting class names.
www.etse.urv.es/EngInf/assig/ens3/unit3/jini/jini2_0_001/doc/api/net/jini/config/ConfigurationFile.h t - 57k - [Cache](#)
7. <http://www.carlacci.com/~francoc/courses/ct3130/code/jdc-p2/networking/streamclassloader.ja>
 ... 9 * Description: A **class loader** that uses an InputStream as the **source** * of the bytecodes ... to load * a reques
www.carlacci.com/~francoc/courses/ct3130/code/jdc-p2/networking/streamclassloader.java - 3k - [Cached](#)
8. **source** 
 ... **Class Loader**"; // If we have an authorization key, set it before we try to get it... if (Authorization != null) { // Set
www.sinz.org/Michael.Sinz/WebRun/WebRun.java - 71k - [Cached](#)
9. **Modifying Components On The Fly (PDF)** 
 ... Uses type information in compiled component-. Requires no **source** code-. Works even on third-party compon
 Aclass ...
www.cs.ucsb.edu/labs/oocsb/bca/bcaslides.pdf - 108k - [View as html](#) - [More pages from this site](#)
10. <http://www.inf.bme.hu/ooret/2001tavasz/Accountability/proto/ant/src/org/apache/tools/ant/AntC>
 ... Redistribution and use in **source** and binary forms, with ... rather than the system **class loader**. * * @ author C
 which ...
www.inf.bme.hu/ooret/2001tavasz/Accountability/proto/ant/src/org/apache/tools/ant/AntClassLoader.jav a - 17k - C

11. [The Translet API and TrAX](#) 
 ... This is because of **class loader** security restrictions.) To accomodate this second ... FEATURE)) { System.err.p
www.cs.utah.edu/~karra/batch/xalan-j_2_4_D1/docs/xsltc/xsltc_trax.html - 97k - [Cached](#)
12. [A Case For Binary Component Adaptation \(PDF\)](#) 
 ... Uses type information in compiled component-. Requires no **source** code ... class fileoriginal byte **stream**Clas
www.cs.ucsb.edu/labs/oocsb/bca/BCAtalk.pdf - [More pages from this site](#)
13. [Comp.compilers: Re: Java: Compile String -> byte\[\] -> Class](#) 
 ... Look at the **class loader** classes. Identify the routines that you call to ... classes that the **class loader**. expects
iecc.com/comparch/article/03-01-097 - 4k - [Cached](#)
14. [http://www.informatik.uni-bremen.de/~shi/Lehre/SS99/shi.3.2.java](#) 
 ... Ask the URL to open a **stream** to the class object classStream = classURL ... StreamClassLoader * Description
 bytecodes ...
www.informatik.uni-bremen.de/~shi/Lehre/SS99/shi.3.2.java - 6k - [Cached](#)
15. [Catalina Internal API Documentation: Class WebappClassLoader](#) 
 ... IMPLEMENTATION NOTE - The **class loader** generates **source** URLs which include the full JAR URL when a
 resource ...
apps.mtc.ca.gov/tomcat-docs/catalina/docs/api/org/apache/catalina/loader/WebappClassLoader.html - 66k - [Cach](#)
16. [Bionet Class Loader \(PDF\)](#) 
 ... A bionet migration service at a **source** platform transmits MyCE's class definition during ... bionet **class loader**
bolero.ics.uci.edu/bionet/resources/platform/documentation/ppt/class_loader_081403.pdf - 93k - [View as html](#)
17. [Parser \(Resin 3.0.7\)](#) 
 ... Sets the parent **class loader**. If unspecified, defaults to the context classloader ... Parameters: is - **stream** to th
www.caucho.com/resin-javadoc/resin/com/caucho/es/parser/Parser.html - 27k - [Cached](#) - [More pages from this si](#)
18. [ONJava.com: Inside Class Loaders \[Nov. 12, 2003\]](#) 
 ... JSP and Servlets. Open **Source** Java. P2P Java. Web Services ... class locally (with its own **class loader**) and
 that ...
www.onjava.com/pub/a/onjava/2003/11/12/classloader.html - 65k - [Cached](#)
19. [CVS update: plexus/src/java/org/apache/plexus/loader Extension.java Reloader.java Standard](#)
 ... Redistribution and use in **source** and binary forms, with or without * modification, are permitted provided ... cac
mail.zenplex.com/pipermail/tambora-cvs/2002-June/003363.html - 75k - [Cached](#)
20. [CheckConfigurationFile \(Jini\(TM\) Technology Starter Kit v2.0 API Documentation\)](#) 
 ... otherwise the **class loader** to use for resolving application classes. configOptions - the configuration **source** fil
www.gigaspace.com/docs/JiniApi/com/sun/jini/tool/CheckConfigurationFile.html - 27k - [Cached](#)

Results Page:

1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Help us improve your search experience. [Send us feedback.](#)

Web	Images	Directory	Yellow Pages	News	Products
---------------------	------------------------	---------------------------	------------------------------	----------------------	--------------------------

[Advanced](#)

Your Search: "Class loader" stream source

Yahoo! Search

[Preferences](#)

Yahoo! Search is hiring! [Learn about job opportunities](#)

[Get free Pop-Up Blocker - Yahoo! Companion Toolbar](#)



Copyright © 2004 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Submit Your Site](#)





[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

"Class loader" stream source

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 5,290 for "[Class loader](#)" [stream source](#). (0.24 seconds)

Did you mean: "[ClassLoader](#)" [stream source](#)

[CheckConfigurationFile \(Jini\(TM\) Technology Starter Kit v2.0 API ...](#)

... is not null , otherwise the **class loader** to use ... application classes configOptions
- the configuration **source** file to ... character, or null err - the **stream** to use ...

[java.sun.com/products/jini/2.0/doc/ api/com/sun/jini/tool/CheckConfigurationFile.html](#) - 27k - [Cached](#) - [Similar pages](#)

[URLClassLoader \(Java 2 Platform SE v1.5.0\)](#)

... argument will be used as the **stream** handler factory to ... method doesn't allow creation
of a **class loader**. ... the additional URL specifies the code **source** URL from ...

[java.sun.com/j2se/1.5.0/ docs/api/java/net/URLClassLoader.html](#) - 38k - [Cached](#) - [Similar pages](#)

[[More results from java.sun.com](#)]

[ResourceDataSource \(Starlink-UK API\)](#)

... Returns: a URL corresponding to this **source**, or null. ... resource can be located by the
class loader or not ... the `getRawInputStream` method will return an input **stream**. ...

[star-www.rl.ac.uk/starjava/javadocs/ uk/ac/starlink/util/ResourceDataSource.html](#) - 21k - [Cached](#) - [Similar pages](#)

[Java Class Loading: The Basics](#)

... Parse the **stream** of binary data produced in step ... this strategy is chosen, the **class loader** must not ...

[www.developer.com/java/other/article.php/2248831](#) - 49k - Jun 22, 2004 - [Cached](#) - [Similar pages](#)

[FishEye: file ant/src/main/org/apache/tools/ant/AntClassLoader. ...](#)

... are met: * 1. Redistributions of **source** code must ... new byte[1024]; while ((bytesRead
= **stream.read**(buffer ... load a class on the classpath of this **class loader**. ...

[fisheye.thecortex.net/viewrep/ant/ src/main/org/apache/tools/ant/AntClassLoader.java?r=1.2](#) - 49k -

[Cached](#) - [Similar pages](#)

[: Class Parser](#)

... parsing method given an open **stream**, a filename ... `java.lang.ClassLoader parentLoader`)
Sets the parent **class loader**. ... to search for imported javascript **source** files ...

[www.caucho.com/resin/javadoc/ com/caucho/es/parser/Parser.html](#) - 23k - [Cached](#) - [Similar pages](#)

[class TestCaseClassLoader](#)

... Total, 106, 87 (82.08%). **Source** Code. Line, Code. ... 91, // standard **class loader**.

92, // ... 141, try { +142, `FileInputStream stream= new FileInputStream(f);` ...

[www.testersedge.com/gjtk/samples/line_html_report/ total/junit.runner.TestCaseClassLoader.html](#) - 42k -

[Cached](#) - [Similar pages](#)

[PDF A Case For Binary Component Adaptation](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... adaptation mechanism • No **source** code required ... Adaptation Specification **Class loader**
Class loader Verifier Verifier ... implements: `output(Stream s)` Printable ...

[www.cs.ucsb.edu/labs/oocsb/bca/BCAtalk.pdf](#) - [Similar pages](#)

[The Translet API and TrAX](#)

... the bootstrap **class loader** loads the requested class. ... that it handles four various


types of **Source** objects ... addition to the standard DOM, SAX and **stream** types, it ...
xml.apache.org/xalan-j/xslt/xslt_trax.html - 95k - [Cached](#) - [Similar pages](#)

: Class FileClassLoader

... java.lang.String name) getResourceAsStream() - returns an input **stream** to the
named **source**. ... Call the loadClass method on the parent **class loader**. ...

maexplorer.sourceforge.net/MAEPlugins/docsOJAPI/MAEPlugin/FileClassLoader.html - 21k - [Cached](#) - [Similar pages](#)

Did you mean to search for: "[***Classloader***](#)" stream source

Google 

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google